

and miscellaneous statistics. Chap. 12 in *Clinical Chemistry, Principles and Technics*, 2nd ed., R. J. Henry, D. C. Cannon, and J. W. Wilkelman, Eds., Harper & Row, Hagerstown, MD, 1974, pp 308–316.

8. Bermes, E. W., Erviti, V., and Forman, D. T., Statistics, normal values, and quality control. In *Clinical Chemistry*, 2nd ed., N. W. Tietz, Ed., W. B. Saunders Co., Philadelphia, PA, 1976, pp 94–99.

9. Haven, G. T., Outline for quality control decisions. *Pathologist* **28**, 373–378 (1974).

10. Duncan, A. J., *Quality Control and Industrial Statistics*, 4th ed., Richard D. Irwin, Inc., Homewood, IL, 1974, p 392.

11. Hainline, Jr., A., Quality assurance. *Selected Methods Clin. Chem.* **9** (in press).

12. Westgard, J. O., Groth, T., Aronsson, T., and de Verdier, C.-H., Combined Shewhart-cusum control chart for improved quality control

in clinical chemistry. *Clin. Chem.* **23**, 1881–1887 (1977).

13. Mandel, J., and Nanni, L. F., Measurement evaluation. Chap. 4 in *Quality Assurance Practices for Health Laboratories*, S. L. Inhorn, Ed., American Public Health Association, 1015 18th St., N.W., Washington, DC, p 266.

14. Larsen, L. H., Williams, R. D. B., and Nicol, G. R., Automated quality control of biomedical data, Part I: System description. *CRC Crit. Rev. Clin. Lab. Sci.* **8**, 241–257 (1977).

15. Henry, R. J., and Segalove, M., The running of standards in clinical chemistry and the use of the control chart. *J. Clin. Pathol.* **5**, 305–311 (1952).

16. Cembrowski, G. S., Westgard, J. O., Eggert, A. A., and Toren, C. E., Jr., Trend detection in control data: Optimization and interpretation of Trigg's technique for trend analysis. *Clin. Chem.* **21**, 1396–1405 (1975).